cE112r AGGTCCACTGCGTCCGATGTGAGCATGGCCTGCACCTC
a126CT-eR4 TET-(M5)2- CG*G*C*GTAGCCCTCTCCGTCGTCCTGTGTCC-biotin
a126CF-eR18 6-FAM-(M5)2-CA*T*C*ATTCTATCGCGACAACGCGGGCCGAA-biotin
a156CT-eR10 TET-(M2)2-CG*A*G*CAACCGGTCCGTCTCTACCCTAAACG-biotin
a156CF-eR20 6-FAM-(M2)2-CC*G*T*TCGCGTAGTGCCGAGGGCATCAATTA-biotin
a156CF-eR20 6-FAM-(M2)2-CC*G*T*TCGCGTAGTGCCGAGGGCATCAATTA-biotin
a125CT-eR36 TET-(M5)-CT*A*C*TTGCCTTCGCGTAGTGGAGGAGAGTT-biotin
a125CF-eR34 6-FAM-(M5)-CT*C*G*GCACGGTTCTACGGAGTGCATAGCGA-biotin
a1CT-eR50 TET-CT*C*A*GGAAGGGCGAAGCGTTCCCTGCCAAT-biotin
a1CF-eR47 6-FAM-CT*A*C*GCACCTATGACGCGCCTAACCTTTGG-biotin

SEQUENCE LISTING

5   <110> ACLARA BioSciences, Inc.

Virgos, Carmen

Cronin, Maureen

<120> Universal e-tag Primer and Probe

10   Compositions and Methods

<130> 502258088W00

<140> Not Yet Assigned

15   <141> Filed Herewith

<150> US 60/330,021

<151> 2001-10-16

20   <160> 88

<170> FastSEQ for Windows Version 4.0

<210> 1

<211> 24

5 <212> DNA

<213> Artificial Sequence

<220>

<223> primer

10

<400> 1

gaaggagaag gtgtctgcgg tagc   24

<210> 2

15 <211> 24

<212> DNA

<213> Artificial Sequence

<220>

20 <223> primer

<400> 2

gaaggagaag gtgtctgcgg aagt   24

25 <210> 3

<211> 24

<212> DNA

<213> Artificial Sequence

30 <220>

<223> template

<221> misc_feature

<222> (1)...(24)   `

<223> n = A,T,C or G

5   <400> 3

gaaggagaag gtgtctgcgg gagn   24

<210> 4

<211> 30

10   <212> DNA

<213> Artificial Sequence

<220>

<223> primer

15

<400> 4

tacttcaagg acaaaatacc tgtattccgc   30

<210> 5

20   <211> 30

<212> DNA

<213> Artificial Sequence

<220>

25   <223> primer

<400> 5

tacttcaagg acaaaatacc tgtattccat   30

30   <210> 6

<211> 32

<212> DNA

<213> Artificial Sequence

<220>

<223> primer

5

<400> 6

caggggaaac ctatacttat aagtggaaca tc   32

<210> 7

10 <211> 20

<212> DNA

<213> Artificial Sequence

<220>

15 <223> primer

<400> 7

cgcggacatg gaggacgttt   20

20 <210> 8

<211> 20

<212> DNA

<213> Artificial Sequence

25 <220>

<223> primer

<400> 8

cgcggacatg gaggacgttc   20

30

<210> 9

<211> 18

<212> DNA

<213> Artificial Sequence

<220>

5   <223> primer

<400> 9

gagcatggcc tgcacctc   18

10   <210> 10

<211> 20

<212> DNA

<213> Artificial Sequence

15   <220>

<223> primer

<400> 10

aggacggtgc ggtgagagtg   20

20

<210> 11

<211> 30

<212> DNA

<213> Artificial Sequence

25

<220>

<223> e-tag reporter sequence

<400> 11

30   cgcgattggc gtcgtctgag cgcctttaaa   30

<210> 12

<211> 26

<212> DNA

<213> Artificial Sequence

5   <220>

<223> e-tag reporter sequence

<221> misc_feature

<222> (13)...(14)

10   <223> e-tag modification.

<400> 12

ccatgccaac tacctgccgt gaacaa   26

15   <210> 13

<211> 26

<212> DNA

<213> Artificial Sequence

20   <220>

<223> e-tag reporter sequence

<221> misc_feature

<222> (16)...(17)

25   <223> e-tag modification

<400> 13

cagccacaca gagcgcttcc aatgac   26

30   <210> 14

<211> 30

<212> DNA

<213> Artificial Sequence

<220>

<223> e-tag reporter sequence

5

<400> 14

cggcgtagcc ctctccgtcg tcctgtgtcc   30

<210> 15

10   <211> 30

<212> DNA

<213> Artificial Sequence

<220>

15   <223> e-tag reporter sequence

<400> 15

cgacgctttg cagatgatat acttgcgcgg   30

20   <210> 16

<211> 30

<212> DNA

<213> Artificial Sequence

25   <220>

<223> e-tag reporter sequence

<400> 16

ccgtggatca gcctgcccga ttccgtcaca   30

30

<210> 17

<211> 30

<212> DNA

<213> Artificial Sequence

<220>

5 <223> e-tag reporter sequence

<400> 17

cggccttcat agcgaagtta cccggcttta   30

10 <210> 18

<211> 30

<212> DNA

<213> Artificial Sequence

15 <220>

<223> e-tag reporter sequence

<400> 18

catccgcagg tagaatgacg ggaagccgat   30

20

<210> 19

<211> 30

<212> DNA

<213> Artificial Sequence

25

<220>

<223> e-tag reporter sequence

<400> 19

30 cctgttgcgc cctgaagaca agagatttcg   30

<210> 20

<211> 30

<212> DNA

<213> Artificial Sequence

5 <220>

<223> e-tag reporter sequence

.

<400> 20

cgagcaaccg gtccgtctct accctaaacg   30

10

<210> 21

<211> 30

<212> DNA

<213> Artificial Sequence

15

<220>

<223> e-tag reporter sequence

<400> 21

20 cgaagcgtag gtcaaccctg agcgtgcgat   30

<210> 22

<211> 22

<212> DNA

25 <213> Artificial Sequence

<220>

<223> e-tag reporter sequence

30 <221> misc_feature

<222> (8)...(9)

<223> e-tag modification

<221> misc_feature

<222> (17)...(18)

<223> e-tag modification

5

<400> 22

cgcgagcgtg aacgtacatt tc   22

<210> 23

10   <211> 26

<212> DNA

<213> Artificial Sequence

<220>

15   <223> e-tag reporter sequence

<221> misc_feature

<222> (14)...(15)

<223> e-tag modification

20

<400> 23

ctgagatgtg tggtgcggca ggcgaa   26

<210> 24

25   <211> 30

<212> DNA

<213> Artificial Sequence

<220>

30   <223> e-tag reporter sequence

<400> 24

caactgtcgg gacattaacg gtgggcagca 30

<210> 25
<211> 26
5 <212> DNA
<213> Artificial Sequence

<220>
<223> e-tag reporter sequence

10

<221> misc_feature
<222> (1)...(1)
<223> e-tag modification to 5' end

15 <400> 25
tcgaacaagg cggtaaacgc caaagc 26

<210> 26
<211> 30
20 <212> DNA
<213> Artificial Sequence

<220>
<223> e-tag reporter sequence

25

<400> 26
cccagtgcta tagcaccggc tcgcatggat 30

<210> 27
30 <211> 30
<212> DNA
<213> Artificial Sequence

<220>

<223> e-tag reporter sequence

5 <400> 27

cccacccgtt gttgtttcga gactcgcaca   30

<210> 28

<211> 30

10 <212> DNA

<213> Artificial Sequence

<220>

<223> e-tag reporter sequence

15

<400> 28

catcattcta tcgcgacaac gcgggccgaa   30

<210> 29

20 <211> 30

<212> DNA

<213> Artificial Sequence

<220>

25 <223> e-tag reporter sequence

<400> 29

cctcgagtac ctttgcacga acctcctacg   30

30 <210> 30

<211> 30

<212> DNA

<213> Artificial Sequence

<220>

<223> e-tag reporter sequence

5

<400> 30

ccgttcgcgt agtgccgagg gcatcaatta   30

<210> 31

10 <211> 30

<212> DNA

<213> Artificial Sequence

<220>

15 <223> e-tag reporter sequence

<400> 31

ccacgcctcc tatttgtctt cagccgcgtc   30

20 <210> 32

<211> 30

<212> DNA

<213> Artificial Sequence

25 <220>

<223> e-tag reporter sequence

<400> 32

caggttcgca ctcagtcttt ccaaggcgcg   30

30

<210> 33

<211> 26

<212> DNA

<213> Artificial Sequence

<220>

5   <223> e-tag reporter sequence

<221> misc_feature

<222> (1)...(1)

<223> e-tag modification to 5' end

10

<400> 33

taccaaggtg gcgaacgaga ccaggc   26

<210> 34

15   <211> 30

<212> DNA

<213> Artificial Sequence

<220>

20   <223> e-tag reporter sequence

<400> 34

ctttggcctt gagaatgagc agatgacggg   30

25   <210> 35

<211> 30

<212> DNA

<213> Artificial Sequence

30   <220>

<223> e-tag reporter sequence

<400> 35

ctcaggctca gccaatggta agactgcggg   30

<210> 36

5   <211> 30

<212> DNA

<213> Artificial Sequence

<220>

10 <223> e-tag reporter sequence

<400> 36

ctcggcacgg ttctacggag tgcatagcga   30

15 <210> 37

<211> 30

<212> DNA

<213> Artificial Sequence

20 <220>

<223> e-tag reporter sequence

<400> 37

ctgtatcatc attcacggct gcagggccct   30

25

<210> 38

<211> 30

<212> DNA

<213> Artificial Sequence

30

<220>

<223> e-tag reporter sequence

<400> 38

ctacttgcct tcgcgtagtg gaggagagtt   30

5   <210> 39

<211> 30

<212> DNA

<213> Artificial Sequence

10   <220>

<223> e-tag reporter sequence

<400> 39

ctcggtcggg ctacacttcc tgttaaggca   30

15

<210> 40

<211> 30

<212> DNA

<213> Artificial Sequence

20

<220>

<223> e-tag reporter sequence

<400> 40

25   ctcgaccgcc aatccgcaat atgagccatg   30

<210> 41

<211> 30

<212> DNA

30   <213> Artificial Sequence

<220>

<223> e-tag reporter sequence

<400> 41

ctcccggagc gtgcagacta tccaggtgta   30

5

<210> 42

<211> 30

<212> DNA

<213> Artificial Sequence

10

<220>

<223> e-tag reporter sequence

<400> 42

15 ctgcattgtg gcagcttacc atgcaggttg   30

<210> 43

<211> 30

<212> DNA

20 <213> Artificial Sequence

<220>

<223> e-tag reporter sequence

25 <400> 43

ctcgctggag tctgaaaggc cagagataca   30

<210> 44

<211> 30

30 <212> DNA

<213> Artificial Sequence

<220>

<223> e-tag reporter sequence

<400> 44

5   ctgaacaatg ccgcgacaat ggagctgaag   30

<210> 45

<211> 30

<212> DNA

10   <213> Artificial Sequence

<220>

<223> e-tag reporter sequence

15   <400> 45

ctcagatcca cgtaaatggg cagcttgcgt   30

<210> 46

<211> 30

20   <212> DNA

<213> Artificial Sequence

<220>

<223> e-tag reporter sequence

25

<400> 46

ctaccagata ggcttcctgc gtcaatccgg   30

<210> 47

30   <211> 30

<212> DNA

<213> Artificial Sequence

<220>

<223> e-tag reporter sequence

5 <400> 47

ctgagacgat agggccgctt attgcaccct   30

<210> 48

<211> 30

10 <212> DNA

<213> Artificial Sequence

<220>

<223> e-tag reporter sequence

15

<400> 48

ctttgggtga gagccaacag tggactggca   30

<210> 49

20 <211> 30

<212> DNA

<213> Artificial Sequence

<220>

25 <223> e-tag reporter sequence

<400> 49

ctacgcacct atgacgcgcc taacctttgg   30

30 <210> 50

<211> 30

<212> DNA

<213> Artificial Sequence

<220>

<223> e-tag reporter sequence

5

<400> 50

ctgagctggc tacagccacc gggttagagt   30

<210> 51

10 <211> 26

<212> DNA

<213> Artificial Sequence

<220>

15 <223> e-tag reporter sequence

<221> misc_feature

<222> (1)...(1)

<223> e-tag modification to 5' end

20

<400> 51

atcttacaga atccgccgcg caattg   26

<210> 52

25 <211> 30

<212> DNA

<213> Artificial Sequence

<220>

30 <223> e-tag reporter sequence

<400> 52

ctcaggaagg gcgaagcgtt ccctgccaat   30

<210> 53

<211> 20

5   <212> DNA

<213> Artificial Sequence

<220>

<223> primer

10

<400> 53

aggtccactg cgtccgatgt   20

<210> 54

15 <211> 26

<212> DNA

<213> Artificial Sequence

<220>

20 <223> primer

<400> 54

aggtccactg cgtccgatgt tcgact   26

25 <210> 55

<211> 20

<212> DNA

<213> Artificial Sequence

30 <220>

<223> primer

<400> 55

ttggcagctc tcggcatcag   20

<210> 56

5   <211> 26

<212> DNA

<213> Artificial Sequence

<220>

10 <223> primer

<400> 56

ttggcagctc tcggcatcag tcgact   26

15 <210> 57

<211> 20

<212> DNA

<213> Artificial Sequence

20 <220>

<223> primer

<400> 57

tgaagaccgt cgtcgcgtac   20

25

<210> 58

<211> 26

<212> DNA

<213> Artificial Sequence

30

<220>

<223> primer

<400> 58

tgaagaccgt cgtcgcgtac tcgact   26

5 <210> 59

<211> 86

<212> DNA

<213> Artificial Sequence

10 <220>

<223> primer

<400> 59

aggtccactg cgtccgatgt tcgactcggc gtagccctct ccgtcgtcct gtgtcctact   60

15 tcaaggacaa aatacctgta ttccgc   86

<210> 60

<211> 86

<212> DNA

20 <213> Artificial Sequence

<220>

<223> primer

25 <400> 60

aggtccactg cgtccgatgt tcgactcatc attctatcgc gacaacgcgg gccgaatact   60

tcaaggacaa aatacctgta ttccat   86

<210> 61

30 <211> 52

<212> DNA

<213> Artificial Sequence

<220>

<223> primer

5 <400> 61

aggtccactg cgtccgatgt caggggaaac ctatacttat aagtggaaca tc   52

<210> 62

<211> 80

10 <212> DNA

<213> Artificial Sequence

<220>

<223> primer

15

<400> 62

aggtccactg cgtccgatgt tcgactcgag caaccggtcc gtctctaccc taaacggaag   60

gagaaggtgt ctgcggtagc   80

20 <210> 63

<211> 80

<212> DNA

<213> Artificial Sequence

25 <220>

<223> primer

<400> 63

aggtccactg cgtccgatgt tcgactccgt tcgcgtagtg ccgagggcat caattagaag   60

30 gagaaggtgt ctgcggaagt   80

<210> 64

<211> 40

<212> DNA

<213> Artificial Sequence

5   <220>

<223> primer

<400> 64

aggtccactg cgtccgatgt aggacggtgc ggtgagagtg   40

10

<210> 65

<211> 76

<212> DNA

<213> Artificial Sequence

15

<220>

<223> primer

<400> 65

20   aggtccactg cgtccgatgt tcgactctca ggaagggcga agcgttccct gccaatcgcg   60

gacatggagg acgttt   76

<210> 66

<211> 76

25   <212> DNA

<213> Artificial Sequence

<220>

<223> primer

30

<400> 66

aggtccactg cgtccgatgt tcgactctac gcacctatga cgcgcctaac ctttggcgcg   60

gacatggagg acgttc   76

<210> 67

<211> 38

5 <212> DNA

<213> Artificial Sequence

<220>

<223> primer

10

<400> 67

aggtccactg cgtccgatgt gagcatggcc tgcacctc   38

<210> 68

15 <211> 30

<212> DNA

<213> Artificial Sequence

<220>

20 <223> probe

<221> misc_feature

<222> (2)...(5)

<223> chimeric phosphorothioate modification

25

<221> misc_feature

<222> 30

<223> 3' nucleotide linked to biotin

30 <221> misc_feature

<222> 1

<223> 5' nucleotide linked to TET

<400> 68

cggcgtagcc ctctccgtcg tcctgtgtcc   30

5   <210> 69

<211> 30

<212> DNA

<213> Artificial Sequence

10 <220>

<223> probe

<221> misc_feature

<222> (2)...(5)

15 <223> chimeric phosphorothioate modification

<221> misc_feature

<222> 30

<223> 3' nucleotide linked to biotin

20

<221> misc_feature

<222> 1

<223> 5' nucleotide linked to 6-FAM

25 <400> 69

catcattcta tcgcgacaac gcgggccgaa   30

<210> 70

<211> 30

30 <212> DNA

<213> Artificial Sequence

<220>

<223> probe

<221> misc_feature

5   <222> (2)...(5)

<223> chimeric phosphorothioate modification

<221> misc_feature

<222> 30

10 <223> 3' nucleotide linked to biotin

<221> misc_feature

<222> 1

<223> 5' nucleotide linked to TET

15

<400> 70

cgagcaaccg gtccgtctct accctaaacg   30

<210> 71

20 <211> 30

<212> DNA

<213> Artificial Sequence

<220>

25 <223> probe

<221> misc_feature

<222> (2)...(5)

<223> chimeric phosphorothioate modification

30

<221> misc_feature

<222> 30

<223> 3' nucleotide linked to biotin

<221> misc_feature

<222> 1

5 <223> 5' nucleotide linked to 6-FAM

<400> 71

ccgttcgcgt agtgccgagg gcatcaatta   30

10 <210> 72

<211> 30

<212> DNA

<213> Artificial Sequence

15 <220>

<223> probe

<221> misc_feature

<222> (2)...(5)

20 <223> chimeric phosphorothioate modification

<221> misc_feature

<222> 30

<223> 3' nucleotide linked to biotin

25

<221> misc_feature

<222> 1

<223> 5' nucleotide linked to TET

30 <400> 72

ctacttgcct tcgcgtagtg gaggagagtt   30

<210> 73

<211> 30

<212> DNA

<213> Artificial Sequence

5

<220>

<223> probe

<221> misc_feature

10   <222> (2)...(5)

<223> chimeric phosphorothioate modification

<221> misc_feature

<222> 30

15   <223> 3' nucleotide linked to biotin

<221> misc_feature

<222> 1

<223> 5' nucleotide linked to 6-FAM

20

<400> 73

ctcggcacgg ttctacggag tgcatagcga   30

<210> 74

25   <211> 30

<212> DNA

<213> Artificial Sequence

<220>

30   <223> probe

<221> misc_feature

<222> (2)...(5)

<223> chimeric phosphorothioate modification

<221> misc_feature

5 <222> 30

<223> 3' nucleotide linked to biotin

<221> misc_feature

<222> 1

10 <223> 5' nucleotide linked to TET

<400> 74

ctcaggaagg gcgaagcgtt ccctgccaat   30

15 <210> 75

<211> 30

<212> DNA

<213> Artificial Sequence

20 <220>

<223> probe

<221> misc_feature

<222> (2)...(5)

25 <223> chimeric phosphorothioate modification

<221> misc_feature

<222> 30

<223> 3' nucleotide linked to biotin

30

<221> misc_feature

<222> 1

<223> 5' nucleotide linked to 6-FAM

<400> 75

ctacgcacct atgacgcgcc taacctttgg   30

5

<210> 76

<211> 30

<212> DNA

<213> Artificial Sequence

10

<220>

<223> probe

<221> misc_feature

15 <222> (2)...(5)

<223> chimeric phosphorothioate modification

<221> misc_feature

<222> 30

20 <223> 3' nucleotide linked to biotin

<221> misc_feature

<222> 1

<223> 5' nucleotide linked to TET(M5)2

25

<400> 76

cggcgtagcc ctctccgtcg tcctgtgtcc   30

<210> 77

30 <211> 30

<212> DNA

<213> Artificial Sequence

<220>

<223> probe

5   <221> misc_feature

<222> (2)...(5)

<223> chimeric phosphorothioate modification

<221> misc_feature

10 <222> 30

<223> 3' nucleotide linked to biotin

<221> misc_feature

<222> 1

15 <223> 5' nucleotide linked to 6-FAM(M5)2

<400> 77

catcattcta tcgcgacaac gcgggccgaa   30

20 <210> 78

<211> 30

<212> DNA

<213> Artificial Sequence

25 <220>

<223> probe   ·

<221> misc_feature

<222> (2)...(5)

30 <223> chimeric phosphorothioate modification

<221> misc_feature

<222> 30

<223> 3' nucleotide linked to biotin

<221> misc_feature

5 <222> 1

<223> 5' nucleotide linked to TET(M2)2

<400> 78

cgagcaaccg gtccgtctct accctaaacg   30

10

<210> 79

<211> 30

<212> DNA

<213> Artificial Sequence

15

<220>

<223> probe

<221> misc_feature

20 <222> (2)...(5)

<223> chimeric phosphorothioate modification

<221> misc_feature

<222> 30

25 <223> 3' nucleotide linked to biotin

<221> misc_feature

<222> 1

<223> 5' nucleotide linked to 6-FAM((M2)2

30

<400> 79

ccgttcgcgt agtgccgagg gcatcaatta   30

<210> 80

<211> 30

<212> DNA

5 <213> Artificial Sequence

<220>

<223> probe

10 <221> misc_feature

<222> (2)...(5)

<223> chimeric phosphorothioate modification

<221> misc_feature

15 <222> 30

<223> 3' nucleotide linked to biotin

<221> misc_feature

<222> 1

20 <223> 5' nucleotide linked to TET(M5)

<400> 80

ctacttgcct tcgcgtagtg gaggagagtt   30

25 <210> 81

<211> 30

<212> DNA

<213> Artificial Sequence

30 <220>

<223> probe

<221> misc_feature

<222> (2)...(5)

<223> chimeric phosphorothioate modification

5 <221> misc_feature

<222> 30

<223> 3' nucleotide linked to biotin

<221> misc_feature

10 <222> 1

<223> 5' nucleotide linked to 6-FAM(M5)

<400> 81

ctcggcacgg ttctacggag tgcatagcga   30

15

<210> 82

<211> 21

<212> DNA

<213> Artificial Sequence

20

<220>

<223> primer

<400> 82

25 atgccgatga cctgcagaat t   21

<210> 83

<211> 21

<212> DNA

30 <213> Artificial Sequence

<220>

<223> primer

<400> 83

atgccgatga cctgcagaat c   21

5

<210> 84
<211> 18
<212> DNA
<213> Artificial Sequence

10

<220>
<223> primer

<400> 84

15 cctcgcggat ggcgctga   18

<210> 85
<211> 30
<212> DNA
20 <213> Artificial Sequence

<220>
<223> e-tag reporter sequence

25 <400> 85

catcattcta tcgcgacaac gcgggccgaa   30

<210> 86
<211> 78
30 <212> DNA
<213> Artificial Sequence

<220>

<223> primer

<400> 86

5   aggtccactg cgtccgatgt tcgactctcg gcacggttct acggagtgca tagcgagatg   60

ccgatgacct gcagaatt   78

<210> 87

<211> 77

10 <212> DNA

<213> Artificial Sequence

<220>

<223> primer

15

<400> 87

aggtccactg cgtccgatgt tcgactctac ttgccttcgc gtagtggagg agagttatgc   60

cgatgacctg cagaatc   77

20 <210> 88

<211> 38

<212> DNA

<213> Artificial Sequence

25 <220>

<223> primer

<400> 88

aggtccactg cgtccgatgt cctcgcggat ggcgctga   38

30   It is evident from the above results that the subject invention provides

methods and kits for the multiplexed determination of nucleic acid targets. The

methods provide for homogeneous and heterogeneous protocols. In nucleic

acid determination, SNP determinations are greatly simplified where a multiplex assay that distinguishes alleles of a number of gene loci can be performed in a single reaction mixture and a large number of SNPs can be readily determined within a short period of time. It is further evident from the above results that the

5 subject invention provides an accurate, efficient and sensitive process for multiplexed nucleic acid determinations.

All publications and patent applications cited in this specification are herein incorporated by reference as if each individual publication or patent application were specifically and individually indicated to be incorporated by

10 reference.

Although the foregoing invention has been described in some detail by way of illustration and example for purposes of clarity of understanding, it will be readily apparent to those of ordinary skill in the art in light of the teachings of this invention that certain changes and modifications may be made thereto without

15 departing from the spirit or scope of the appended claims.